




**Lianguan**

**machine**

## **Lianguan pelletizing line**

**Leading recycling solutions from China**




- Crusher for woven bags
  - Agglomerator for film
  - Bridging-proof force feeder
  - Single stage and double-stage
  - Vacuum exhausting system
  - AC motor and FUJI inverter
  - DC motor and EURO THERM speed controller
  - Non-stop hydraulic screen changer
  - Water pelletizing and brace pelletizing
- Siemens contactors, OMRON thermometers, Schneider electrics

## PP/PE film pelletizing line



Model	SJ75	SJ100	SJ120	SJ150
Parameter				
Power (kw)	37-45	75-90	90-110	110-132
Capacity (kg/h)	100-150	200-350	300-450	450-700
Weight (kg)	4000	75000	9000	10500
Dimension(mm)	11500x1650x2450	12700x1850x2900	13500x1900x2900	14800x1950x2900

## PP/PE flakes pelletizing line



Model	SJZ 100/120	SJZ120/130	SJZ130/140	SJZ140/150	SJZ150/160
Parameter					
Power (kw)	45/30	55/30	75/45	90/55	110/75
Capacity (kg/h)	120-150	150-200	200-280	250-350	300-500
Weight (kg)	4000	5000	5800	7000	8000
Dimension(mm)	1400x1500x2500	1600x1500x2700	1600x1500x2700	1700x1500x2900	1800x1800x3000

## PP/PE woven bags pelletizing line



Model	SJ75	SJ90	SJ120	SJ150
Parameter				
Power (kw)	65-80	100-115	125-150	165-190
Capacity (kg/h)	80-120	150-200	200-300	350-500
Weight (kg)	5500	8500	10500	12500
Dimension(mm)	11500x1650x2450	12700x1850x2900	13500x1900x2900	14800x1950x2900

## PVC pelletizing line



Model	Main motor power	Capacity
SJSZ51/105	18.5KW	120KG/H
SJSZ65/132	37KW	200KG/H
SJSZ/80156	55KW	350KG/H





**Attention: JACK**

**Mobile: 008613951130940**

**E-mail: [lianguansun@yahoo.com](mailto:lianguansun@yahoo.com)**

**Jiangsu Lianguan Science&Technology Development Co., Ltd**

**Address: No.2 Baixiong Road, Sanxing Industrial Zone Jinfen Town,  
Zhangjiagang City, Jiangsu Province, China**

**Tel: 0086 512 58578000      Fax: 0086 512 58570215**

**Website: [www.lianguanmachine.com](http://www.lianguanmachine.com)**